C13.37/4:1058

MICROWAVE AND HIGH-FREQUENCY BIBLIOGRAPHY

PENNSYLVANIA STATE UNIVERSITY
DEC 21 1967
DOCUMENTS COLLECTION

Radio Standards Laboratory
National Bureau of Standards
U.S. Department of Commerce

CONTENTS

Attenuation 1

Connectors 3

Field Strength 3

Frequency 4

Noise 5

Phase Shift 6

Power 7

Properties of Materials 9

Reflection Coefficient Magnitude 10

Voltage 12

General 13

MICROWAVE AND HIGH-FREQUENCY BIBLIOGRAPHY

ATTENUATION

Allred, C. M. and Cook, C. C., **A Precision RF Attenuation Calibration System,** IRE Trans. Instr., I-9, No. 2, 268-274, September 1960.

Allred, C. M. and Lawton, R. A., **Precision Detector for Complex Insertion Ratio Measuring Systems,** IEEE Trans. I&M, IM-13, Nos. 2 & 3, 76-81, June-September 1964.

Allred, C. M. and Cook, C. C., **Excitation System for Piston Attenuators,** ISA Preprint 21. 6-4-64, October 1964.

Beatty, R. W., **Determination of Attenuation from Impedance Measurements,** Proc. IRE 38, No. 8, 895-897, August 1950.

Beatty, R. W., **Cascade-Connected Attenuators,** Proc. IRE 38, No. 10, 1190, October 1950.

Beatty, R. W. and Huber, C. E., **Lossy Cable Attenuator Pads,** Rev. Sci. Instru. 24, No. 10, 1002-1003, October 1953.

Beatty, R. W., **Mismatch Errors in the Measurement of Ultrahigh-Frequency and Microwave Variable Attenuators,** J. Res. 52, No. 1, 7-9 (RP 2465), January 1954.

Beatty, R. W., **Standards and Measurement of Attenuation, Impedance, and Phase Shift,** Sept. 1960-Dec. 1962, Radio Sci. J. Res. 68D, No. 5, 529-533, May 1964.

Beatty, R. W., **Insertion Loss Concepts,** Proc. IEEE 52, No. 6, 663-671, June 1964.

Beatty, R. W., **Effects of Connectors and Adapters on Accurate Attentuation Measurements at Microwave Frequencies,** IEEE Trans. I&M IM-13, No. 4, 272-284, December 1964.

Beatty, R. W., **Intrinsic Attentuation,** IEEE Trans. MT & T, MTT-11, No. 3, 179-182, May 1963. (Correction to this report published in IEEE Trans. MT & T, MTT-13, No. 2, 258, March 1965).

Beatty, R. W., **A Two-Channel Nulling Method for Measuring Attenuation Constants of Short Sections of Waveguide and the Losses in Waveguide Joints,** Proc. IEEE 53 (Corres.), No. 6, 642-643, June 1965.

Beatty, R. W., **Microwave Attenuation Measurements and Standards,** NBS Monograph 97, April 3, 1967.

Engen, G. F. and Beatty, R. W., **Microwave Attenuation Measurements with Accuracies from 0.0001 to 0.06 Decibel Over a Range of 0.01 to 50 Decibels,** J. Res. 64C, No. 2, 139-145, April-June 1960.

Larson, Wilbur, **Table of Attenuation Error as a Function of Vane-Angle Error for Rotary Vane Attenuators,** NBS Tech. Note 177, May 20, 1963.

Larson, Wilbur, **Analysis of Rotation Errors of a Waveguide Rotary-Vane Attenuator,** IEEE Trans. I & M, IM-12, No. 2, 50-55, September 1963.

Larson, W., **Inline Waveguide Attenuator,** IEEE Trans. MT & T, MTT-12, No. 3, 367-368, May 1964.

Larson, Wilbur, **Table of Attenuation as a Function of Vane-Angle for Rotary-Vane Attenuators ($A = -40_{10} \cos \Theta$),** NBS Tech. Note 229, January 7, 1965.

Larson, Wilbur, **Gearing Errors as Related to Alignment Techniques of the Rotary-Vane Attenuator,** IEEE Trans. I & M, IM-14, No. 3, 117-123, September 1965.

Little, William E., **Further Analysis of the Modulated Subcarrier Technique of Attenuation Measurement,** IEEE Trans. I & M, IM-13, Nos. 2 & 3, 71-76, June-September 1964.

Powell, R. C., **A Simplified Method for Measuring the Attenuation of Balanced Transmission Lines,** Proc. Nat'l. Elec. Conf. 7, 287-290, February 1952.

Reggia, Frank and Beatty, Robert W., **Characteristics of the Magnetic Attenuator at UHF,** Proc. IRE 41, No. 1, 93-100, January 1953.

Russell, David H., **An Unmodulated Twin-Channel Microwave Attenuation Measurement System,** ISA Trans. 4, No. 2, 162-169, April 1965.

Rumfelt, A. Y., and Como, R. J., **Rapid Insertion Device for Coaxial Attenuators,** Rev. Sci. Instr. 30, No. 8, 687-688, August 1959.

Schafer, G. E. and Rumfelt, A. Y., **Mismatch Errors in Cascade-Connected Variable Attenuators,** IRE Trans. MT & T, MTT-7, No. 4, 447-453, October 1959.

Schafer, G. E., **A Modulated Subcarrier Technique of Measuring Microwave Phase Shifts,** IRE Trans. Instr., I-9, No. 2, 217-219, September 1960.

Schafer, G. E. and Bowman, R. R., **A Modulated Sub-Carrier Technique of Measuring Microwave Attenuation,** Proc. Inst. Elect. Engr. (London) 109, Part B, Suppl. 23, 783-786, May 1962.

CONNECTORS

Beatty, R. W., Engen, G. F., and Anson, W. J., **Measurement of Reflections and Losses of Waveguide Joints and Connectors Using Microwave Reflectometer Techniques,** IRE Trans. Instr., I-9, No. 2, 219-226, September 1960.

Little, W. E. and Wakefield, J. P., **Measurement of Precision Coaxial Connectors Using Reflectometer Techniques,** IEEE International Convention Record 13, Part II, 89-97, March 1965.

Selby, M. C., Wolzien, E. C., and Jickling, R. M., **Coaxial Radio-Frequency Connectors and Their Electrical Quality,** J. Res. 52, No. 3, 121-132 (RP 2480), March 1954.

FIELD STRENGTH

Baird, R. C., **Fresnel Zone Diffraction Effects at 50 Gc/sec. Determined from Measured Aperture Field Data,** PTGAP Digest, pp. 170-173, 1963.

Selby, M. C., **Field Strength Measurements,** J. Res. 64D, No. 6, 603-604, November-December 1960.

Taggart, Harold E., **Field Strength Calibration Techniques at the NBS,** IEEE Trans. Elec. Compatibility, EMC-7, No. 2, 163-169, June 1965.

FREQUENCY

Beehler, R. E., Atkinson, W. R., Heim, L. E., and Snider, C. S., **A Comparison of Direct and Servo Methods for Utilizing Cesium Beam Resonators as Frequency Standards,** IRE Transactions on Instrumentation, Vol. I-11, Nos. 3 and 4, pp. 231-238, December 1962.

Beehler, R. E., and Glaze, D. J., **Experimental Evaluation of a Thallium Beam Frequency Standard,** Proceedings of the 17th Annual Symposium on Frequency Control held May 27-29, 1963, U. S. Army Electronic Research and Development Laboratory in Fort Monmouth, New Jersey, pp. 392-400, 1963.

Beehler, R. E., Mockler, R. C., and Richardson, J. M., **Cesium Beam Atomic Time and Frequency Standards,** Metrologia, Vol. 1, No. 3, pp. 114-131, July 1965.

Beehler, R. E. and Glaze, D. J., **The Performance and Capability of Cesium Beam Frequency Standards at the National Bureau of Standards,** IEEE Transactions on Instrumentation and Measurement, Vol. IM-15, Nos. 1 and 2, pp. 48-55, March and June 1966.

Beehler, R. E. and Glaze, D. J., **Evaluation of a Thallium Atomic Beam Frequency Standard at the National Bureau of Standards,** IEEE Transactions on Instrumentation and Measurement, Vol. IM-15, Nos. 1 and 2, pp. 55-58, March and June, 1966.

Bussey, H. E. and Estin, A. J., **Accurate Microwave Wavemeters with Convenient Calibration Tables,** Rev. Sci. Instr. 31, 410, 1960.

Estin, A. J., **High Mode Tunable Cavity for Microwave-gas Interactions,** Rev. Sci. Instr. 33, 369, 1962.

NOISE

Allred, C. M., **A Precision Noise Spectral Density Comparator,** J. Res. 66C, No. 4, 323-330, October-December 1962.

Estin, A. J., Trembath, C. L., Wells, J. S., and Daywitt, W. C., **Absolute Measurement of Temperatures of Microwave Noise Sources,** IRE Trans. Instr., I-9, No. 2, 209-213, September 1960.

Miller, C. K. S., Daywitt, W. C., and Campbell, E., **A Waveguide Noise-Tube Mount for Use as an Interlaboratory Noise Standard,** ACTA IMEKO 3, 371-382, 1964 (Budapest).

Richardson, J. M. and Faris, J. J., **Excess Noise in Microwave Crystal Diodes Used as Rectifiers and Harmonic Generators,** IRE Trans. on MTT, MTT-5, 208-212, July 1957.

Wait, David F. and Trembath, Charles L., **A Comparison Between a Switched and a Correlation Radiometer for Cryogenic Noise Source Measurements,** ISA Preprint No. 14. 4-3-65, October 1965.

Ward, G. D. and Richardson, J. M., **Analysis of a Microwave Radiometer for Precise Standardization of Noise Sources,** J. Res. NBS, 67C, No. 2, April 1963.

Wells, J. S., Daywitt, W. C., and Miller, C. K. S., **Measurement of Effective Temperatures of Microwave Noise Sources,** IEEE Trans. I & M, IM-13, No. 1, 17-28, March 1964.

PHASE SHIFT

Beatty, Robert W., **A Differential Microwave Phase Shifter,** IEEE Trans. MT & T, MTT-12, No. 2, 250-251, March 1964.

Beatty, Robert W., **Some Basic Microwave Phase Shift Equations,** Radio Sci. J. Res. 68D, No. 4, 349-353, April 1964.

Beatty, R. W., **Discussion of Errors in Gain Measurements of Standard Electromagnetic Horns,** NBS Tech. Note 351, March 1967.

Ellerbruch, Doyle A., **Analysis of a Differential Phase Shifter,** IEEE Trans. MT & T, MTT-12, No. 4, 453-459, July 1964.

Ellerbruch, Doyle A., **Evaluation of a Microwave Phase Measurement System,** J. Res. 69C, No. 1, 55-65, January-March 1965.

Schafer, G. E., **Mismatch Errors in Microwave Phase Shift Measurements,** IRE Trans. MT & T, MTT-8, No. 6, 617-622, November 1960.

Schafer, G. E. and Beatty, R. W., **Error Analysis of a Standard Microwave Phase Shifter,** J. Res. 64C, No. 4, 261-265, October- December 1960.

Microwave Phase-Shift Measurements Using a Modulated Subcarrier, Electrical Design News 7, No. 1, 62-65, January 1962.

POWER

Beatty, R. W. and MacPherson, A. C., **Mismatch Errors in Microwave Power Measurements,** Proc. IRE 41, No. 9, 1112-1119, September 1953.

Beatty, R. W. and Reggia, Frank, **An Improved Method of Measuring Efficiencies of Ultra-High-Frequency and Microwave Bolometer Mounts,** J. Res. 54, No. 6, 321-327, (RP 2594), June 1955.

Desch, R. F. and Larson, R. E., **Bolometric Microwave Power Calibration Techniques at the National Bureau of Standards,** IEEE Trans. I & M, IM-12, No. 1, 29-33, June 1963.

Engen, Glenn F., **A Self-Balancing Direct-Current Bridge for Accurate Bolometric Power Measurements,** J. Res. 59, No. 2, 101-105, (RP 2776), August 1957.

Engen, Glenn F., **Recent Developments in the Field of Microwave Power Measurements at the National Bureau of Standards,** IRE Trans. Instr., I-7, Nos. 3 & 4, 304-306, December 1958.

Engen, Glenn F., **A Refined X-Band Microwave Microcalorimeter,** J. Res. 63C, No. 1, 72-82, July-September 1959.

Engen, G. F., **A Transfer Instrument for the Intercomparison of Microwave Power Meters,** IRE Trans. Instr., I-9, No. 2, 202-208, September 1960.

Engen, G. F., **Radiofrequency and Microwave Power Measurements,** J. Res. 64D, 596-597, November-December 1960.

Engen, Glenn F., **A Bolometer Mount Efficiency Measurement Technique,** J. Res. 65C, No. 2, 113-124, April-June 1961.

Engen, Glenn F., **A Survey of Microwave Power-Measurement Techniques Employed at the National Bureau of Standards,** Proc. Inst. Elect. Engr. (London) 109, Part B, Suppl. 23, 734-739, May 1962.

Engen, G. F. and Larsen, N. T., **RF and Microwave Power Measurements,** Radio Sci. J. Res. 68D, No. 5, 527-528, May 1964.

Engen, Glenn F., **A DC-RF Substitution Error in Dual-Element Bolometer Mounts,** IEEE Trans. I & M, IM-13, Nos. 2 & 3, 5 8-64, September 1964.

Engen, G. F., **International Intercomparison of Standards for Microwave Power Measurement,** ACTA IMEKO 1, 337-346, 1964 (Budapest).

Engen, Glenn F., **A Method of Transferring Power Calibrations Between Microwave Power Meters Having Different Input Waveguides,** IEEE International Convention Record 13, Part II, 99-101, March 1965.

Engen, G. F., **International Intercomparison of Standards for Microwave Power Measurement,** IEEE Trans. MT & T, MMT-13, No. 5, 713-715, September 1965.

Engen, Glenn F., **Coaxial Power Meter Calibration Using a Waveguide Standard,** J. Res. 70C, No. 2, 127-138, April-June 1966.

Berry, I. S. and Hudson, P. A., **Improved Thermistor Bridge for RF Power Measurements,** NBS Tech. News Bull. 40, No. 9, 134-135, September 1956.

Hudson, P. A. and Allred, C. M., **A Dry, Static Calorimeter for RF Power Measurement,** IRE Trans. Instr., I-7, Nos. 3 & 4, 292-296, December 1958.

Hudson, P. A., **A Precision RF Power Transfer Standard,** IRE Trans. Instr., I-9, No. 2, 280-283, September 1960.

Hudson, P. A., **U.K. Intercomparison of RF Power Standards,** NBS Tech. News Bull. 46, 40-41, March 1962.

Hudson, P. A., Ecklund, W. L., and Ondrejka, R. A., **Measurement of RF Peak-Pulse Power by a Sampling-Comparison Method,** IRE Trans. Instr. I-11, Nos. 3 & 4, 280-284, December 1962.

Kerns, David M., **Analysis of the Direct-Current Bolometer Bridge,** Research Paper RP 2051, NBS, Vol. 43, December 1949.

Kerns, David M., **Determination of Efficiency of Microwave Bolometer Mounts from Impedance Data,** Research Paper RP 1995, NBS, Vol. 42, June 1949.

PROPERTIES OF MATERIALS

Bussey, H. E. and Steinert, L. A., **Exact Solution For a Gyromagnetic Sample and Measurements on a Ferrite,** IRE Trans. Microwave Theory and Techniques MTT-6, No. 1, January 1958.

Bussey, H. E. and Birnbaum, G., **Cavity Resonators for Dielectric Spectroscopy of Compressed Gases,** Rev. Sci. Instr. 30, No. 9, 800-804, September 1959.

Bussey, H. E., **Cavity Resonator Dielectric Measurements on Rod Samples,** 1959 Annual Report, Conference on Electrical Insulation, NAS-NRC, Publication 756, Washington, D. C., pp. 15-20, 1960.

Bussey, H. E. and Gray, J. E., **Measurement and Standardization of Dielectric Samples,** IRE Trans. Instr. I-11, Nos. 3 and 4, December 1962.

Bussey, H. E., Gray, J. E., Bamberger, E. C., Rushton, E., Russell, G., Petley, B.W., and Morris, D., **International Comparison of Dielectric Measurements,** IEEE Trans. Instr. Meas. IM-13, No. 4, 305-311, December 1964.

Bussey, H. E., **Survey of 1963 to 1965 U.S.A. Progress in Measurements of Electromagnetic Properties of Materials, in Progress,** in Radio Science, 1963 to 1966, Proceedings during 5th General Assembly of URSI, Munich, Part I, pp. 265-289, September 5-15, 1966.

Cook, R. A., Matarrese, L. M., and Wells, J S., **New Method for Constructing EPR Cavities,** Rev. Sci. Instr., Vol. 35, No. 1, pp. 114-115, January 1964.

Dalke, J. L. and Powell, R. C., **A Method for Making Power Factor Measurements on Low Loss Dielectrics,** NBS Report 1042, July 11, 1951.

Dalke, J. L. and Powell, R. C., **Measuring Power Factor of Low-Loss Dielectrics,** Electronics 24, No. 8, 224-232, August 1951.

Estin, A. J. and Bussey, H. E., **Errors in Dielectric Measurements Due to a Sample Insertion Hole in a Cavity,** IRE Trans. MT & T, MTT-8, 650, 1960.

Powell, R. C., **American Dielectric Standards,** Elec. J. 153, 1779-1780, December 3, 1954.

Risley, A. S. and Bussey, H. E., **Ferromagnetic Resonance Relaxation, Wide Spin-Wave Coverage by Ellipsoids,** J. Appl. Phys. 35, No. 3, (Part 2), 896-897, March 1964.

REFLECTION COEFFICIENT MAGNITUDE

Anson, Wilbur J., **A Guide to the Use of the Modified Reflectometer Technique of VSWR Measurement,** J. Res. 65C, No. 4, 217-223, October-December 1961.

Beatty, Robert W., **An Adjustable Sliding Termination for Rectangular Waveguide,** IRE Trans. on MT & T, MTT-5, No. 3, 192-194, July 1957.

Beatty, R. W. and Kerns, D. M., **Recently Developed Microwave Impedance Standards and Methods of Measurement,** IRE Trans. Instr., I-7, Nos. 3 & 4, 319-321, December 1958.

Beatty, R. W., **Magnified and Squared VSWR Responses for Microwave Reflection Coefficient Measurements,** IRE Trans. MT & T, MTT-7, No. 3, 346-350, July 1959.

Beatty, R. W., **A Microwave Impedance Meter Capable of High Accuracy,** IRE Trans. MT & T, MTT-8, No. 4, 461-463, July 1960.

Beatty, R. W. and Anson, W. J., **Table of Magnitude of Reflection Coefficient Versus Return Loss ($L_R = 20 \log_{10} \frac{1}{|\Gamma|}$),** NBS Tech Note 72, September 19, 1960.

Beatty, R. W., and Anson, W. J., **Application of Reflectometer Techniques to Accurate Reflection Measurements in Coaxial Systems,** Proc. Inst. Elect. Engr. (London) 109, Part B, No. 46, 345-348, July 1962.

Beatty, R. W., **Four-Place Table Decibels Return Loss to Magnitude of Voltage Reflection Coefficient,** The Microwave Engineers' Handbook and Buyers' Guide, T-221 - T-225, 1963.

Beatty, R. W., **An Automatic Method for Obtaining Data in the Weissfloch-Feenberg Node Shift Technique,** Proc. IEEE 53 (Corres.), No. 1, 79-80, January 1965.

Beatty, R. W., **Measuring Impedance Through An Adapter Without Introducing Additional Error,** Proc. IEEE 53, (Corres.), No. 6, 656-657, June 1965.

Beatty, R. W., **Microwave Impedance Measurements and Standards,** NBS Monograph 82, August 12, 1965.

Brady, M., **Second-Harmonic Effects in Tuned Reflectometers,** IRE Trans. MT & T, MTT-10, No. 1, 90-91, January 1962.

Cruz, J .E. and Brooke, R. L., **Coaxial Line Standards for Measurement of Reflections with a Time Domain Reflectometer System,** IEEE WESCON Tech. Paper 9, Part 6, Paper 8.4, 1-4, August 1965.

Engen, G. F. and Beatty, R. W., **Microwave Reflectometer Techniques,** IRE Trans. MT & T, MTT-7, No. 3, 351-355, July 1959.

Engen, Glenn F., **A Variable Impedance Power Meter, and Adjustable Reflection Coefficient Standard,** J. Res. 68C, No. 1, 7-24, January-March 1964.

Harrington, R. D., Powell, R. C., and Haas, P. H., **A Re-entrant Cavity for Measurement of Complex Permeability in the Very-High-Frequency Region,** J. Res. 56, No. 3, 129-134, (RP 2657), March 1956.

Jones, Raymond N. and Nelson, Robert E., **The Role of Capacitance in the National Reference Standards for High Frequency Impedance,** ISA Preprint No. 18.1.62, October 1962.

Kerns, David M., **Half Round Inductive Obstacles in Rectangular Waveguide,** Journal of Research, Vol. 64B, No. 2, April-June 1960.

Little, W. E. and Ellerbruch, D. A., **Precise Reflection Coefficient Measurements with an Untuned Reflectometer,** Journal of Research of the National Bureau of Standards, Engr. and Instru., Vol. 70C, No. 3, July-September 1966.

Little, W. E. and Wakefield, J. P., **A Coaxial Adjustable Sliding Termination,** IEEE Trans. MT & T, MTT-12, No. 2, 247-248, March 1964.

Powell, R. C., Jickling, R. M., and Hess, A. E., **High-Frequency Impedance Standards at the National Bureau of Standards,** IRE Trans. Instr., I-7, Nos. 3 and 4, 270-274, December 1958.

Zanboorie, M. H., **A Semi-Automatic Technique for Tuning a Reflectometer,** IEEE Trans. MT & T, MTT-13, No. 5, 709-710, September 1965.

VOLTAGE

Beers, Y. and Strine, G. L., **The Measurement of Voltage by the Use of the Stark Effect,** IRE Transactions on Instrumentation, Vol. I-11, Nos. 3 and 4, pp. 171-176, December 1962.

Beers, L. Y. and Russell, T. W., **Evaluation of a Stark Voltmeter,** IEEE Transactions on Instrumentation and Measurement, Vol. IM-15, No. 4, pp. 380-388, December 1966.

Selby, Myron C., **High-Frequency Voltage Measurement,** NBS Circular 481, September 1, 1949.

Selby, Myron C. and Behrent, Lewis F., **A Bolometer Bridge for Standardizing Radio-Frequency Voltmeters,** J. Res. 44, 15-30 (RP 2055), January 1950.

Selby, Myron C., **Accurate Radio-Frequency Microvoltages,** Comm. and Elect., No. 6, 158-164, May 1953.

Selby, Myron C., **R.F. Micropotentiometers,** Radio and Television News 50 (Radio Electronic Engineering Edition), No. 4, 5-7, October 1953.

Selby, M. C. and Behrent, L. F., **Stable Radio-frequency Voltmeters,** NBS Tech. News Bull. 40, No. 2, February 1956.

Selby, M. C., Behrent, L. F., and Ries, F. X., **RF Voltmeter Calibrating Consoles,** 1958 IRE National Convention Record 6, Part 5, 251-257, 1958.

Selby, M. C., **Microvolt Calibration Console,** NBS Tech. News Bull. 44, No. 10, 170, October 1960.

Selby, M. C., **Pulsed and CW Sinusoidal Voltage and Current Measurements,** Radio Sci. J. Res. 68D, No. 5, 533-536, May 1964.

Selby, M. C., **Pulsed and CW Sinusoidal Voltage and Current Measurements,** Proc. XIV General Assembly of URSI, XIII-1, 92-100, 1963.

Selby, M. C., **Single-Bolometer Series-Parallel Circuit for Accurate Voltage and Power Measurement,** ISA Preprint No. 21.6-1-64, October 1964.

Selby, Myron C., **Coaxial T for Radio-Frequency Voltmeter Calibrations,** NBS Tech. Note 263, pp. 21-24.

Selby, M. C., Blank, W. J., and Chariton, R. P., **Voltmeter Calibration to 1 GHz,** IEEE WESCON Tech. Papers 9, Part 6, Paper 8.8, 1-12, August 1965.

GENERAL

Anson, Wilbur and Niesen, Edward, **Fast-Melting Alloy Forms Water Jacket for Small Klystrons,** Electronic Design, March 15, 1962.

Barger, R. L., Broida, H. P., Estin, A. J., and Radford, H. E., **Optical Detection of Microwave Transitions in Electronically Excited CN Produced by a Chemical Reaction,** Physical Review Letters, Vol. 9, No. 8, pp. 345-347, October 15, 1962.

Beatty, R. W., **Microwave Standards and Measurements, A Progress Review 1960-1963,** IEEE Trans. I & M, IM-12, No. 3, 134-138, December 1963.

Beatty, R. W. and Kearns, D. M., **Relationships Between Different Kinds of Network Parameters, Not Assuming Reciprocity or Equality of the Waveguide or Transmission Line Characteristic Impedances,** Proc. IEEE 52, No. 84, January 1964. (Correction to this report published in Proc. IEEE 52, No. 4, 426, April 1964).

Beatty, R. W., **Measuring the Directivity of a Directional Coupler Using a Sliding Short-Circuit and an Adjustable Sliding Termination,** IEEE Trans. MT & T, MTT-12, No. 3, 283, May 1964.

Beatty, R. W., **The System of Electromagnetic Quantities at Frequencies Above 1 GHz,** Metrologia 2, No. 1, 46-54, January 1966.

Bussey, H. E., **Standards and Measurements of Microwave Surface Impedance, Skin Depth, Conductivity and Q,** IRE Trans. Instr. I-9, No. 2, 171-175, September 1960.

Case, William E. and Larsen, Neil T., **Klystron Protection Circuit,** Rev. Sci. Instr. 34, No. 7, 809-810, July 1963.

Ecklund, W. L., **A Low Input VSWR Coaxial Diode Switch for the UHF Band,** IEEE Trans. MT & T, MTT-12, No. 3, 359, May 1964.

Engen, Glenn F., **Amplitude Stabilization of a Microwave Signal Source,** IRE Trans. MT & T, MTT-6, No. 2, 202-206, April 1958.

Engen, G. F., **A Method of Improving Isolation in Multi-Channel Waveguide Systems,** IRE Trans. MT & T, MTT-8, No. 4, July 1960.

Estin, A. J. and Anderson, M. M., **Time Resolved Microwave Interferometry as a Diagnostic Tool for Decaying Plasma Afterglows,** Rev. Sci. Instr., Vol. 37, No. 4, pp. 468-470, April 1966.

Evenson, K. M., Dunn, J. L., and Broida, H. P., **Optical Detection of Microwave Transitions Between Excited Electronic States of CN and the Identification of the Transitions Involved,** Physical Review, Vol. 136, No. 6A, pp. A1566-1571, December 14, 1964.

Fehsenfeld, F. C., Evenson, K. M., and Broida, H. P., **Microwave Discharge Cavities Operating at 2450 MHz,** Rev. Sci. Instr., Vol. 36, No. 3, pp. 294-298, March 1965.

Hall, M. B., Larsen, N. T., and Little, W. E., **Combination RF Radiation and Fluid Pressure Seal,** Proc. of the IEEE, Vol. 54, No. 11, pp. 1585-1586, November 1966.

Hudson, P. A., **A High Directivity, Broadband Coaxial Coupler,** IEEE Trans. MT & T, MTT-14, (Corres.), No. 6, 293-294, June 1966.

Isaacs, A. D., Klock, F. G., Jr., Koop, C. D., Mitchell, J. D., Snyder, W. F., and Winchell, J. A., **Recommended Environments for Standards Laboratories,** ISA Trans 3, No. 4, 366-377, October 1964.

Kerns, David M., **Analysis of Symmetrical Waveguide Junctions,** Journal of Research, Vol. 46, No. 4, April 1951.

Kerns, David M., **Generalized Variational Principles for Electromagnetic Vibrations; Application to the Theory of Waveguide Junctions,** Reprinted from Symposium on Electromagnetic Theory and Antennas, Copenhagen, June 25-30, 1962.

Kerns, D. M. and Grandy, W. T., Jr., **Perturbation Theorems for Waveguide Junctions, with Applications,** Reprinted from IEEE Trans. on MT & T, Vol. MTT-14, No. 2, pp. 85-92, February 1966.

Larsen, Neil T., **Low-Level Low-Frequency Detection System,** Rev. Sci. Instr. 33, No. 11, 1200-1208, November 1962.

Larson, R. E., **Microwave Measurements in the N.B.S. Electronic Calibration Center,** Proc. Inst. Elect. Engr. (London) 109, Part B, Suppl. 23, 644-650, May 1962.

Larson, R. E., **Microwave Calibration Techniques at the National Bureau of Standards,** ACTA IMEKO 3, 383-393, 1964.

Little, W. E. and Niesen, E., **A Multistub Coaxial Line Tuner,** IEEE Trans. MT & T (Letter to Editor), MTT-12, No. 5, 570-571, September 1964.

Nelson, Robert E. and Coryell, Marlene R., **Electrical Parameters of Precision, Coaxial, Air-Dielectric Transmission Lines,** NBS Monograph 96, June 30, 1966.

Newell, A. C. and Baird, R. C., **Absolute Determination of Refractive Indices of Gases at 47.7 Gigahertz,** Journal of Applied Physics, Vol. 36, No. 12, pp. 3751-3759, December 1965.

Niesen, Ed., Beatty, R. W., and Anson, W. J., **Water-Cooling of Low-Power Klystrons Used in the Laboratory,** Rev. Sci. Instr. 29, No. 9, 791-792, September 1958.

Niesen, Edward, **DC Differential Current Meter,** Rev. Sci. Instr. 32, No. 12, 1407-1408, December 1961.

Powell, R. C., **The State of the Art of Measurement for Radio Science,** NBS Tech. Note 262-A Preprint, May 15, 1965.

Powell, R. C., **Accuracy in Electrical and Radio Measurements and Calibrations, 1965,** NBS Tech. Note 262-A (Excerpt from NBS Tech. Note 262), June 15, 1965.

Risley, A. S. and Bussey, H. E., **Interpretation of Ferromagnetic Resonance Measurement Made in a Nonresonant System,** IEEE Trans. Instr. Meas. IM-15, No. 4, 393-396, December 1966.

Schafer, G. E., **A Modulator for Microwave Mixers,** IRE Trans. MT & T, MTT-6, 333-334, July 1958.

Schafer, G. E. and Beatty, R. W., **A Method for Measuring the Directivity of Directional Couplers,** IRE Trans. on MT & T, MTT-6, No. 4, 419-422, October 1958.

Schafer, G. E. and Beatty, R. W., **Correction to 'A Method for Measuring the Directivity of Directional Couplers,'** IEEE Trans. MT & T, MTT-12, No. 3, 361, May 1964.

PENN STATE UNIVERSITY LIBRARIES
A00007096108 9

USCOMM-NBS-BL-June-1967